GB2089326

Publication Title:

Container formed from hinged panels

Abstract:

Abstract of GB2089326

A container 10 comprises body components 11 joined together in a pivotal manner along adjoining edges and end walls which hold the body structure in a stable erect condition. Joining of the components 11 is preferably effected by means of silicone-based adhesive strips 12 and the end walls comprise frames 16 and end plates 18. A removable lid panel 14 may bear a handle 15.

Data supplied from the esp@cenet database - Worldwide

Courtesy of http://v3.espacenet.com


(12) UK Patent Application (19) GB (11) 2 089 326 A

- (21) Application No 8040388
- (22) Date of filing 17 Dec 1980
- (43) Application published 23 Jun 1982
- (51) INT CL3 B65D 6/20
- (52) Domestic classification B8P C3D
- (56) Documents cited GB 1119712. GB 844723 GB 740413
- (58) Field of search B8P
- (71) Applicants
 Bryce McRoberts
 424 Caledonian Road
 Wishaw
 Lanarkshire
 Great Britain
 J & S Mc Fadyen Ltd
 51 Dryborough Road
 Wishaw
 Lanarkshire
 Great Britain
- (72) Inventor


 Bryce McRoberts
- (74) Agents
 Ian G Murgitroyd and
 Company
 49 Bath Street
 Glasgow G2 2DL


(54) Container formed from hinged panels

(57) A container 10 comprises body components 11 joined together in a pivotal manner along adjoining edges and end walls which hold the body structure in a stable erect condition. Joining of the components 11 is preferably effected by means of silicone-based adhesive strips 12 and the end walls comprise frames 16 and end plates 18. A removable lid panel 14 may bear a handle 15.



GB 2 089 326 A










FIG. 3.





SPECIFICATION

Container and method of manufacture

5 BACKGROUND OF THE INVENTION

(1) Field of the invention

This invention relates to a container and method of manufacture of a container from a plurality of body components.

(2) Description of the prior art
 Hitherto container manufacture, particularly in relation to containers formed from a plurality of body components such as panels or plates, has been a time consuming exercise especially when the panels were formed from a clear or transparent material such as glass. Thus often specially designed moulds were required which were relatively expensive or special sealing techniques were required in
 which to attach adjacent panels to each other.

BRIEF SUMMARY OF THE INVENTION

It is an object of the invention to provide a method of manufacture of a container formed from a plurality of body components which is efficient in operation, relatively inexpensive and which may be carried out relatively quickly.

It is a further object to provide a container 30 formed from a plurality of body components when manufactured by the above mentioned method.

The method of the invention includes the following steps:

(i) obtaining a plurality of container body components and attaching adjacent body components to each other by applying bonding agent to adjoining edges whereby each of the body components may be pivotally attached to each other along their adjoining

(ii) aligning an assembly of body components into at least a part tubular orientation wherein each body component forms a part of 45 of a side wall of the said at least partly formed tube;

(iii) attaching end components to the open ends of the said at least partially formed tube so as to stabilize the said at least partially
 formed tube and thus form a stable container structure.

Preferably each body component is formed from panels or plates which are flat and suitably rectangular. However this is not essential and the plates may be arcuate or adopt some other suitable configuration.

In step (i) a bonding agent such as suitable silicone based adhesive may be utilized wherein the adhesive is applied to the adjoining edges of a plurality of panels which are preferably formed from transparent or clear material and thus are suitably glass panels. The adhesive is preferably such that it dries quickly. The panels may be laid out on any suitable support surface with adjoining edges

of each panel being spaced from each other by relatively narrow gap.

After drying of the adhesive these may form pivot strips thus allowing adjacent panels to 70 be bent relative to each other to form the partly tubular structure formed in step (ii). If desired instead of a part tubular structure a complete tubular structure having a continuous side wall may be formed. However this is

75 disadvantageous in that it requires one pair of adjoining edges to be sealed or otherwise attached to each other in step (ii). Thus a part tubular structure is preferred tube formed in step (ii).

80 Next end components are attached to the opposed open ends of the part tubular structure. Preferably these end components may include a peripheral frame which has a retaining groove for the end edges of each panel

85 forming the part tubular structure. The peripheral frame may be polygonal such as hexagonal, rectangular or even triangular in shape. The peripheral frame may have had previously attached thereto an end plate or panel so as

90 to completely enclose or cover the opposed open ends of the part tubular structure. In this embodiment the peripheral frame has a continuous groove located on the inner surface so as to accommodate the end plate which may 95 be bonded therein if desired.

The part tubular structure suitably has one open portion which may be covered by a lid or cover plate which may be retained in appropriate recesses in the peripheral frames 100 of each end plate.

BRIEF DESCRIPTION OF THE DRAWINGS

References is now made to a preferred embodiment of the invention as shown in the 105 accompanying drawings wherein:

Figure 1 is a perspective view of a container formed by the method of the invention;
Figure 2 is a similar view as shown in Fig.

1 with the cover plate about to be applied to 110 an open portion of the container;

Figure 3 is a schematic view illustrating step (i) of the method of the invention;

Figure 4 is a detailed view of the attachment of the body plate to an adjacent periph-115 eral frame;

Figure 5 is a detailed view of the means of attachment of the cover plate to an adjacent peripheral frame;

Figure 6 is an exploded view of the part 120 tubular structure, periheral frame and end plate of the container of Fig. 1 thereby illustrating steps (ii) and (iii) of the method of the invention; and

Figure 7 is a view showing how the compo-125 nents of the container formed by the method of the invention may be readily collapsed and folded in a convenient "flat pack" for transportation and storage.

130 DETAILED DESCRIPTION OF THE PRE-

FERRED EMBODIMENT

In the drawings there is shown container 10 formed by body panels 11 which are attached to each other by pivot strips 12

which may be formed from a suitable glass to glass or glass-to-plastics silicone based adhesive. There is also shown an open portion 13 of the container 10 which may be covered by lid or cover plate 14. Suitably each panel 11 is identical as is also cover plate 14 which has handle 15 attached thereto. There is also shown peripheral frames 16 having retaining recesses 17 for cover plate 14.

Fig. 3 shows the initial step of the method of the invention as described above wherein panels 11 are laid out flat on a suitable supporting surface in a side by side relationship and having adjacent side edges attached by adhesive strips 12.

Fig. 4 shows how body or side plate 11 may be supported in a groove or recess 25 having opposed flanges 19 and 20 whereas in Fig. 5 recess 17 for cover plate 14 has only one support flange 21 and upwardly
extending flange 22. Figs. 4 and 5 also show groove 24 for accommodating end plates 18.

Fig. 6 illustrates method steps (ii) and (iii) as described above and showing how peripheral frame 16, end plate 18 and the partly 30 formed tubular structure are attached to each other. Preferably however the end plates 18 are already attached to frames 16 before being attached to the part tubular structure or shell formed by hand manipulation of panels 11. However this is not essential. Peripheral frame 16 also includes a U-shaped retaining groove 25 for side plates or body plates 11.

Fig. 7 shows how the components of the container may be folded and packed in a "flat 40 pack" 23 or elongate case for assembly the user who will then suitably assemble each component of the container as described previously. Suitably the container may be easily demounted and collapsed and packed away 45 for transportation and storage when required.

Suitable silicone based adhesives for use in the invention are SILGLAZE "2400 Sealand" manufactured by General Electric Company and "SILICONE CONSTRUCTION 1200 Sealant" also manufactured by the General Electric Company.

CLAIMS

1. A method of forming a container in-55 cluding the steps of:

(i) obtaining a plurality of container body components and attaching adjacent body components to each other by applying bonding agent to adjoining edge portions whereby each of the body components may be pivotally attached to each other; (ii) aligning an assembly of body components into at least a partly formed tubular structure whereby each body component may form part of a side wall
65 of said at least partly formed tubular structure;

and (iii) attaching end components to the open ends of the said at least partly formed tubular structure to stabilize said at least partly formed tubular structure and thus form 70 a stable container.

 A method as claimed in claim 1 wherein said tubular structure is partly formed and includes an open portion adapted to be closed by a cover component or lid of the
 container.

A method as claimed in claim 2 wherein the end components include a peripheral frame having attached thereto an end plate, said peripheral frame including an ac commodating recess for the cover plate, said peripheral frame also having a retaining groove so as to receive an associated end of a respective container body component.

4. A container having a body portion
85 formed from a plurality of body or side panels having adjacent side edges connected to each other by a pivot strip and having opposed end members each comprising a peripheral frame for releasably accommodating adjacent ends
90 of each body panel, said end members also

90 of each body panel, said end members also including an end plate attached to an associated peripheral frame, there also being provided an open portion in the container body for retention therein of a cover plate, the

95 construction and arrangement being such that each end member may be disengaged from the body portion of the container and said body portion being collapsible whereby the components of the container including the

100 body portion and the end members may be retained, if desired, in an elongate case for transportation or storage.

 A method of forming a container substantially as hereinbefore described with refer-105 ence to the accompanying drawings.

A container substantially as hereinbefore described with reference to the accompanying drawings.

Printed for Her Majesty's Stationery Office by Burgess & Son (Abingdon) Ltd.—1982. Published at The Patent Office, 25 Southampton Buildings, London, WC2A 1AY, from which copies may be obtained.

Sharon DeMesones

From: Stephanie M. Bodamer on behalf of Nokia Admin - Others

Sent: Thursday, July 26, 2007 11:46 AM

To: Sharon DeMesones

Cc: Bradley Wright; Josephine Lee; Victoria van de Veerdonk; Jessica Williams; Stephanie M. Bodamer

Subject: RE: Jarmo Kemppainen/Jordan Bodner, NC28743KR (004770.00378), Allowance instructions, Due

07.08.2007

Sharon

Here is the confirmation

Please print a copy for the file and save it in iManage.

Thanks Stephanie

From: Patent-Agency Banner-Witcoff (EXT-RES/Washington)

Sent: Thu 7/26/2007 11:43 AM **To:** Nokia IPR (RES/Tampere)

Cc: Kemppainen Jarmo.J (Nokia/Singapore)

Subject: RE: Jarmo Kemppainen/Jordan Bodner, NC28743KR (004770.00378), Allowance response

Dear Jarmo:

We have instructed the agent to proceed with payment of the fees and will forward grant upon receipt.

Best regards,

Sharon

From: Kemppainen Jarmo.J (Nokia/Singapore) [mailto:Jarmo.J.Kemppainen@nokia.com]

Sent: Tue 7/10/2007 10:25 PM

To: Patent-Agency Banner-Witcoff (EXT-RES/Washington)

Cc: APP-NOTES Itchy_Application

Subject: Jarmo Kemppainen/Jordan Bodner, NC28743KR (004770.00378), Allowance instructions, Due 07.08.2007

Dear Sharon,

Please, pay the fees.

Best regards, Jarmo

From: Patent-Agency Banner-Witcoff (EXT-RES/Washington)[SMTP:EXT-BANNER-WITCOFF.PATENT-

AGENCY@NOKIA.COM]

Sent: Monday, July 09, 2007 5:26:27 PM

To: Nokia IPR (RES/Tampere)

Subject: Jarmo Kemppainen/Jordan Bodner, NC28743KR (004770.00378), Allowance, Due 25.08.2007

Auto forwarded by a Rule

CLIENT COMMUNICATION- PRIVILEGED/CONFIDENTIAL

Re: South Korean National Phase Application No. 2005-7009500

Based on: PCT application No.: PCT/IB2003/05425 filed: 24 Nov 2003 and

on US 10/307,410 filed 02 Dec 2002

Title: Privacy Protection in a Server

Inventor(s): PYHÄLAMMI

Foreign Associate (Y P Lee Mock & Partners) Ref No: PM05-2191PCT

Filed with claims 1-21(4 independent)

Dear Jarmo:

We are pleased to report our foreign associate has notified us regarding the readiness to grant a patent on the above-identified application. The letter indicates that fees totaling \$1,350.00 in addition to the cost for allowed claims (21) of approximately \$1,600.00 are due no later than September 7, 2007, and our foreign associate requests instructions no later than <u>August 27, 2007</u>. A six month extension of time is possible by paying a late fee equivalent to twice the normal fee.

Unless we hear otherwise from you by <u>August 25, 2007</u>, we will authorize our foreign associate to pay the requisite fees.

We look forward to receiving your instructions in due course. Should you have any questions, please do not hesitate to contact us.

Best regards,

Sharon de Mesones

International Filing Specialist

Banner & Witcoff, Ltd.

1100 13th Street, N.W. 12th Floor

Washington, D.C. 20005-4051

(202) 824-3152 (direct)

(202) 824-3000 (main phone)

(202) 824-3001 (facsimile)

sdemesones@bannerwitcoff.com

IMPORTANT/CONFIDENTIAL: This message contains information from the law firm of Banner & Witcoff, LTD. which may be privileged, confidential, or exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, retention, archiving, or copying of the communication is strictly prohibited. If you have received this communication in error, please notify us immediately by return E-mail.

From: Sharon DeMesones

Sent: Thursday, July 26, 2007 10:02 AM

Fo: Nokia Admin - Others

Cc: Bradley Wright; Josephine Lee; Jordan Bodner; Jessica Williams

07.08.2007

Please forward our reply to Nokia per usual...thanks..Sharon

Dear Jarmo:

We have instructed the agent to proceed with payment of the fees and will forward grant upon receipt.

Best regards,

Sharon

From: Victoria van de Veerdonk [mailto:VvandeVeerdonk@bannerwitcoff.com]

Sent: Wednesday, July 11, 2007 9:03 AM

To: Sharon DeMesones

Cc: Jordan Bodner; Bradley Wright; Stephanie M. Bodamer; 004770.00378.IMAN_WDC@banneremm.com

Subject: Jarmo Kemppainen/Jordan Bodner, NC28743KR (004770.00378), Allowance instructions, Due 07.08.2007

Good morning. Please see e-mail below and print for the file.

Thanks.

From: Kemppainen Jarmo.J (Nokia/Singapore) [mailto:Jarmo.J.Kemppainen@nokia.com]

Sent: Tue 7/10/2007 10:25 PM

To: Patent-Agency Banner-Witcoff (EXT-RES/Washington)

Cc: APP-NOTES Itchy_Application

Subject: Jarmo Kemppainen/Jordan Bodner, NC28743KR (004770.00378), Allowance instructions, Due 07.08.2007

Dear Sharon.

Please, pay the fees.

Best regards, Jarmo

From: Patent-Agency Banner-Witcoff (EXT-RES/Washington)[SMTP:EXT-BANNER-WITCOFF.PATENT-

AGENCY@NOKIA.COM]

Sent: Monday, July 09, 2007 5:26:27 PM

To: Nokia IPR (RES/Tampere)

Subject: Jarmo Kemppainen/Jordan Bodner, NC28743KR (004770.00378), Allowance, Due 25.08.2007

Auto forwarded by a Rule

CLIENT COMMUNICATION- PRIVILEGED/CONFIDENTIAL

Re: South Korean National Phase Application No. 2005-7009500

Based on: PCT application No.: PCT/IB2003/05425 filed: 24 Nov 2003 and

on US 10/307,410 filed 02 Dec 2002

Title: Privacy Protection in a Server

Inventor(s): PYHÄLAMMI

Foreign Associate (Y P Lee Mock & Partners) Ref No: PM05-2191PCT

Filed with claims 1-21(4 independent)

Dear Jarmo:

We are pleased to report our foreign associate has notified us regarding the readiness to grant a patent on the above-identified application. The letter indicates that fees totaling \$1,350.00 in addition to the cost for allowed claims (21) of approximately \$1,600.00 are due no later than September 7, 2007, and our foreign associate requests instructions no later than <u>August 27, 2007</u>. A six month extension of time is possible by paying a late fee equivalent to twice the normal fee.

Unless we hear otherwise from you by <u>August 25, 2007</u>, we will authorize our foreign associate to pay the requisite fees.

We look forward to receiving your instructions in due course. Should you have any questions, please do not hesitate to contact us.

Best regards,

Sharon de Mesones

International Filing Specialist

Banner & Witcoff, Ltd.

1100 13th Street, N.W. 12th Floor

Washington, D.C. 20005-4051

(202) 824-3152 (direct)

(202) 824-3000 (main phone)

(202) 824-3001 (facsimile)

sdemesones@bannerwitcoff.com

IMPORTANT/CONFIDENTIAL: This message contains information from the law firm of Banner & Witcoff, LTD. which may be privileged, confidential, or exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, retention, archiving, or copying of the communication is strictly prohibited. If you have received this communication in error, please notify us immediately by return E-mail.